provita medical

Infusion stands

CATALOGUE

Pump carriers / Furniture / Hygiene centre / SAM

Our infusion holders have a lot in common in all variations of our models:

They are all measured by high safety and hygiene standards. They are robust, stable and steadfast. Easy to clean and easy to handle.

They can be used almost anywhere and are the perfect product for every requirement.



The provita Infusion stands



mobile

robust

hygienic

We offer state-of-the-art solutions for a variety of applications

06


Normal care unit

IV pole for the daily patient care

12


Intensive Care Unit/Pump Carrier

High-quality infusion stands for use in intensive care medicine

20


OP

OP-compatible infusion stands with welded base construction

26


MRI

MRI approved infusion stands for use in magnetic resonance environments

30


Urology

Special IV poles for the urology care unit

34


Children's care unit

Infusion stands in child-friendly design

38


Home care

Infusion stands for use in private environments

42


Infuboy

For large movement radius

44


Accessories

Practical accessories for all IV pole series

52


Infusion stands

Infusion stands with adaptations to beds, operating tables or walls

54


Hygiene centre

Hygiene centres offer mobile hygiene directly on site

58


SAM


The transfer chair for many applications

64


Treatment furniture

Versatile furniture for doctor practices and clinics

Normal care unit



The best infusion stands for the daily patient care

The proven solution for normal hospital operation.

INFUSIONS STANDS
For the normal care unit

Material	Chrome-plated steel / Stainless steel
Castors	Twin castors / Single castors
Height adjustment	Screw system or Single-handed system

Stainless steel (1.4301) for best hygienic properties

High-gloss chrome-plated, 3-layer system

Bottle holders according the standards

High quality castors

Medical device tested according to DIN EN 60601

Shipping optimized packaging (up to 100 pieces on one pallet)

Short assembly time, only 2 – 3 minutes (base assembly with only one screw)

Many different configurations

different options

up to 121° sterilisable drip glass

with aquastop

tilt proof & space saving





Here you see two configurations of the height adjustment (screw & single-handed – the original)

Made in Germany





For further accessories see page 44 ff. and/or **provita.de**





Different bottle holders

I-N41221
Our recommendation for the normal care unit

Total weight	approx. 6.1 kg
Base diameter	635 mm

Easy to configure

I-N a) b) c) d) e)

Or directly at **provita.de**

Material / colour — a)

Stainless steel / blue	**1**
Chrome-plated steel / blue	**4**

Castors — b)

Twin castors 50 mm	**1**
Single castors 80 mm	**2**

Base weight — c)

Non weighted approx. 2.2 kg*	**1**
Weighted approx. 4.5 kg*	**2**

Height adjustment — d)

Single-handed (2.2 kg)* (max. extension 2,150 mm)	**1**
Screw (4.5 kg)* (max. extension 2,150 mm)	**2**

Bottle holder — e)

Plastic 2.0 kg / hook	**1**
Stainless steel to screw in 2.0 kg / hook	**2**
Stainless steel to plug in 2.0 kg / hook	**3**

* Series I-N, non weighted, only suitable for use with gravity infusion





порівняння площі, яку займають інфузійні стійки серії ECO під час зберігання

ECO-MOVE
Stumble-free manoeuvrability

Material	Stainless steel / Aluminium
Castors	Twin castors Ø 75 mm
Base weight	4.7 kg
Height adjustment	Single-handed system
Bottle holder	Stainless steel 4 hooks – 2.0 kg / hook
Regulating range	1,330 mm – 2,200 mm
Total weight	6.8 kg
Base dimension	595 × 620 mm

I-S14212



Please order pushing handle separately (Z-ECO001)

ECO-SPACE
Space-saving base construction

Material	Chrome-plated steel / Stainless steel
Castors	Single castors Ø 75 mm
Base weight	2.25 kg
Height adjustment	Screw or single-handed system
Bottle holder	Stainless steel 4 hooks – 2.0 kg / hook
Regulating range	Single-handed system approx. 1,290 mm – 2,130 mm Screw system approx. 1,350 mm – 2,220 mm
Total weight	3.5 kg
Base diameter	590 mm

Stainless steel

Single-handed system I-S12112

Chrome-plated steel

Screw height adjustment I-S42122




For technical data see provita.de



LOW-GRAVITY
Extremely low centre of gravity for tilt resistant movement

Material	Chrome-plated steel
Castors	Twin castors Ø 75 mm
Base weight	6.0 kg
Height adjustment	Single-handed system
Bottle holder	Plastic 4 hooks – 2.0 kg / hook
Regulating range	approx. 1,425 mm – 2,140 mm
Total weight	approx. 7.6 kg
Base diameter	600 mm

I-L11112



NIGHT LINE
Fluorescence eases night care


Material	Chrome-plated steel
Castors	Twin castors Ø 50 mm
Base weight	1.9 kg
Height adjustment	Screw system
Bottle holder	Plastic 4 hooks – 2.0 kg / hook
Regulating range	approx. 1,170 mm – 2,020 mm
Total weight	approx. 3.9 kg
Base diameter	635 mm

I-NL1121

For technical data see provita.de



Intensive care unit



The high-quality infusion stands for intensive care units

Mobile solutions for intensive care medicine.

INFUSION STANDS
For the intensive care unit

Material	Stainless steel / Aluminium
Castors	Twin castors / Single castors
Height adjustment	Screw system or Single-handed system



Stainless steel (1.4301) for best hygienic properties



Loadable solution, up to 50 kg depending on model



Bottle holders according to the standards



High quality, low- noise castors



Medical device tested according to DIN EN 60601



Shipping optimized packaging (up to 100 pieces on one pallet)

aquastop

suitable for
attaching
infusion pumps

stable
base construction





Made in
Germany

For further accessories see page 44 ff. and/or **provita.de**



DIN EN 60601
3rd Edition

SUITABLE FOR
electro-medical devices

13.5 kg
load capacity



weighted version with blue-grey plastic parts

21 kg
load capacity

I-I12212
Our recommendation for the intensive care unit

Regulating range	approx. 1,500 mm – 2,210 mm
Total weight	approx. 8.6 kg (with drip glass and holder)
Base diameter	680 mm
Length of outer tube	1,200 mm

Easy to configure

I-I | a) | b) | c) | d) | e) |

Or directly at **provita.de**

Material / colour a)

Stainless steel / blue	**1**

Castors b)

Single castors 80 mm	**2**
Apparatus castors 75 mm	**3**

Base weight c)

Non weighted approx. 2.6 kg	**1**
Weighted approx. 6.5 kg	**2**

Height adjustment d)

Sinlge-handed (max. extension 2,210 mm)	**1**
Screw (max. extension 2,270 mm)	**2**

Bottle holder e)

Plastic 2.0 kg / hook	**1**
Stainless steel to screw in 2.0 kg / hook	**2**
Stainless steel to plug in 2.0 kg / hook	**3**
Stainless steel to screw in 5.0 kg / hook	**4**
Bottle bar 4 hooks*	**5**
Bottle bar 6 hooks*	**6**

* for models with weighted base only



I-PRE001
High load capacity (weighted base)

18 kg load capacity

Material	Stainless steel / Aluminium
Castors	Twin castors Ø 75 mm / Apparatus castors Ø 75mm
Height adjustment	Single-handed system
Bottle holder	Stainless steel 4 hooks – 2.0 kg / hook
Regulating range	1,520 mm – 2,295 mm
Base leg profile	Ø 33.7 mm
Load capacity	18 kg
Tube diameter	25 / 18 mm
Length of outer tube	1,200 mm
Base diameter	630 mm
Base weight	8.9 kg
Total weight	11 kg

With twin castors	I-PRE001
With apparatus castors	I-PRE011



I-PRE002
Good load capacity (non-weighted base)

13 kg load capacity

Material	Stainless steel / Aluminium
Castors	Twin castors Ø 75 mm / Apparatus castors Ø 75mm
Height adjustment	Single-handed system
Bottle holder	Stainless steel 4 hooks – 2.0 kg / hook
Regulating range	1,465 mm – 2,180 mm
Base leg profile	Ø 25 mm
Load capacity	13 kg
Tube diameter	25 / 18 mm
Length of outer tube	1,200 mm
Base diameter	630 mm
Base weight	4.9 kg
Total weight	7 kg


With twin castors	I-PRE002
With apparatus castors	I-PRE012



EDELSTAHL Rostfrei

All versions available with twin castors or apparatus castors

For technical data see provita.de




DIN EN 60601
3rd Edition

SUITABLE FOR
electro-medical devices



Stainless steel screw height adjustment





With Softdrop system!



EDELSTAHL Rost frei

All versions available with twin castors or apparatus castors

I-PRE003
Very high load capacity

32 kg load capacity


Material	Stainless steel / Aluminium
Castors	Twin castors Ø 75 mm / Apparatus castors Ø 75mm
Height adjustment	Screw system with Softdrop feature
Bottle holder	Stainless steel 4 hooks – 5.0 kg / hook
Regulating range	1,430 mm – 2,260 mm
Base leg profile	Ø 33.7 mm
Load capacity	32 kg
Tube diameter	33.7 / 25 mm
Length of outer tube	1,200 mm
Base diameter	630 mm
Base weight	8.9 kg
Total weight	12 kg


With twin castors	I-PRE003
With apparatus castors	I-PRE013



High-quality anodized special coating to prevent paint from coming off


Recommended accessories for Premium Care (see p. 50)





SUITABLE FOR electro-medical devices





With curved arms

I-PRE004
Best hygienic properties due to round base legs

13 kg load capacity

Material	Stainless steel / Aluminium
Castors	Twin castors Ø 75 mm / Apparatus castors Ø 75mm
Height adjustment	Single-handed system
Bottle holder	Stainless steel 4 hooks – 2.0 kg / hook
Regulating range	1,520 mm – 2,225 mm
Base leg profile	Ø 33.7 mm
Load capacity	13 kg
Tube diameter	25 / 18 mm
Length of outer tube	1,200 mm
Base diameter	630 mm
Base weight	4.7 kg
Total weight	7 kg

With twin castors	I-PRE004
With apparatus castors	I-PRE014


PUMP CARRIER I-PRE100
Ideal operability due to curved base legs

45 kg load capacity

Material	Stainless steel / Aluminium
Castors	Apparatus castors Ø 75mm
Height adjustment	Screw system
Bottle bar	Stainless steel 4 hooks – 2.0 kg / hook
Regulating range	1,835 mm – 2,100 mm
Base leg profile	Ø 33.7 mm
Load capacity	45 kg
Tube diameter	33.7 / 25 mm
Length of outer tube	1,500 mm
Base diameter	660 / 844 mm
Total weight	16 kg

I-PRE100

For technical data see provita.de



DÜSSELDORF UNIVERSITY MODEL
Stable base construction

25 kg load capacity

Regulating range	approx. 1,490 mm – 2,250 mm
Tube diameter	Ø 33,7 / Ø 25 mm
Length of outer tube	1,300 mm
Base diameter	680 mm
Total weight	approx. 10 kg
Base weight	6.6 kg

Easy to configure

I-D a) b) c) d) e)

Or directly at **provita.de**

Material / colour a)

Stainless steel	**0**

Castors b)

Single castors 80 mm	**2**
Apparatus castors 75 mm	**3**

Base weight c)

Non weighted	**1**

Height adjustment d)

Screw system with Softdrop feature	**2**

Bottle holder e)

Stainless steel to plug in 2.0 kg / hook	**3**
Stainless steel to screw in 5.0 kg / hook	**4**



I-PO2226



I-PA2226



I-PB2226

ISP UNITS
Twist-proof stand construction

Material	Stainless steel / Aluminium
Castors	Twin castors Ø 125 mm / Single castors Ø 80 mm
Height adjustment	Screw system (anti-twist)
Bottle bar	Stainless steel 6 hooks – 2.0 kg / hook
Regulating range	approx. 1,710 mm – 2,240 mm
Total weight	approx. 25 kg
Tube diameter	Ø 38 mm / SQR 25 mm
Length of outer tube	1,420 mm
Base diameter	860 mm



anti-twist due to square inner tube

Twin castors (max. load 50 kg)

50 kg load capacity

Base model	I-P02226
With 5 equipment rails	I-PA2226
With pump holder frame	I-PB2226

Single castors (max. load 25 kg)

25 kg load capacity

Base model	I-P02227
With 5 equipment rails	I-PA2227
With pump holder frame	I-PB2227

For technical data see provita.de

OR



The hygiene-friendly infusion stands for the operating theatre

The solution for the highest demands.

INFUSION STANDS
For the operating theatre

Material	Stainless steel
Castors	Twin castors / Single castors
Height adjustment	Screw system or Single-handed system

Stainless steel (1.4301) for best hygienic properties

Seamless base construction, electro-polished surface

Loadable solution, up to 30 kg depending on model


Medical device tested according to DIN EN 60601

made exclusively of stainless materials

aquastop

suitable for attaching infusion pumps

hygiene-friendly due to seamless welding







Made in Germany

For further accessories see page 44 ff. and/or **provita.de**



I-O12112

Our recommendation for the operating theatre

Height adjustment	Screw system or Single-handed system
Tube diameter	25 / 18 mm
Length of outer tube	1,000 mm
Total weight	approx. 3.6 kg
Base weight	1.9 kg
Base diameter	635 mm

Easy to configure

I-O a) b) c) d) e)

Or directly at **provita.de**

Base leg profile a)

30 × 15 mm	**1**

Castors b)

Twin castors 50 mm	**1**
Single castors 80 mm	**2**

Base weight c)


Non weighted (1.9 kg)	**1**
Weighted (4.3 kg)	**2**

Height adjustment d)

Sinlge-handed (max. extension 2,150 mm)	**1**
Screw (max. extension 2,150 mm)	**2**

Bottle holder e)

Stainless steel to screw in 2.0 kg / hook	**1**



I-O23232
The OR heavy-duty alternative

30 kg load capacity

Height adjustment	Screw system or Single-handed system
Tube diameter	33.7 / 25 mm
Length of outer tube	1,200 mm
Total weight	approx. 14.3 kg
Base weight	11 kg
Base diameter	635 mm

Easy to configure

I-O a) b) c) d) e)

Or directly at **provita.de**

Base leg profile — a)

45 × 25 mm	**2**

Castors — b)

Twin castors 75 mm	**3**

Base weight — c)

Weighted (11 kg)	**2**


Height adjustment — d)

Sinlge-handed (max. extension 2,250 mm)	**1**
Stainless steel screw system with Softdrop feature (max. extension 2,270 mm)	**3**

Bottle holder — e)

Stainless steel to screw in 2.0 kg / hook	**2**
Stainless steel to screw in 5.0 kg / hook	**4**

For technical data see provita.de



I-OPRE01

The premium solution for the operating theatre


25 kg load capacity

Material	Stainless steel
Castors	Twin castors Ø 75 mm
Height adjustment	Screw system with Softdrop feature
Bottle holder	Stainless steel, 4 hooks – 5.0 kg / hook
Regulating range	1,475 mm – 2,470 mm
Base leg profile	Ø 33.7 mm
Load capacity	25 kg
Tube diameter	33.7 / 25 mm
Length of outer tube	1,200 mm
Base diameter	680 mm
Base weight	8.7 kg
Total weight	12 kg

For technical data see provita.de



MRI



The magnetic resonance infusion stands

For the voltage tension in medical technology.

INFUSION STAND
For use in the MRI

MR suitable for 1.5 or 3.0 Tesla, minimum distance to device 30 cm

MR conditional

Short assembly time, only 2 – 3 minutes (base assembly with only one screw)

Material	Stainless steel / Aluminium
Castors	Twin castors / Single castors
Height adjustment	Screw system



Made in
Germany



I-M12121
Our recommendation for MRI up to 1.5 Tesla

Material	Stainless steel
Castors	Twin castors Ø 50 mm / Single castors Ø 80 mm
Height adjustment	Screw system
Bottle holder	Plastic 2.0 kg / hook
Regulating range	approx. 1,250 – 2,150 mm
Tube diameter	25 / 18 mm
Length of outer tube	1,000 mm
Base leg profile	30 × 15 mm
Total weight	approx. 3.6 kg with drip glass and holder
Base weight	approx. 1.9 kg

Twin castors	I-M11121
Single castors	I-M12121





Arm & leg rest suitable for use with MRI (Article No. S2112013)
(see p. 67)



further
MRI-products
upon request




MRI INFUSION STAND
For devices up to 3 Tesla with magnet-free brass castor pins

Material	Aluminium
Castors	Twin castors Ø 50 mm
Base weight	1.4 kg
Height adjustment	Screw system
Bottle holder	Plastic 4 hooks – 2.0 kg / hook
Regulating range	approx. 1,250 – 2,100 mm
Total weight	approx. 2 kg
Base diameter	635 mm

I-M91121

For technical data see provita.de



Extra high infusion stands for the urology care unit

For high pressure build-up and heavy rinsing solutions.



Stainless steel (1.4301) for best hygienic properties

Extra high extension for higher pressure of rinsing solutions

Medical device tested according to DIN EN 60601

INFUSION STANDS
For the urology

Material	Stainless steel
Castors	Twin castors / Single castors / Apparatus castors
Height adjustment	Screw system



For further accessories see page 44 ff. and/or **provita.de**



I-U02224
Very high extension

Material	Stainless steel
Castors	Single castors Ø 80 mm
Base weight	7.5 kg
Height adjustment	Stainless steel screw system with Softdrop feature
Bottle holder	Stainless steel 4 hooks – 5.0 kg / hook
Regulating range	approx. 1,890 mm – 2,895 mm
Total weight	13.2 kg
Base diameter	800 mm

I-U02224




I-U02234
With hydraulic height adjustment

Material	Stainless steel
Castors	Twin castors Ø 75 mm
Height adjustment	manual hydraulic through foot pedal
Bottle holder	Stainless steel 3 hooks – 5.0 kg / hook
Regulating range	approx. 1,630 – 2,625 mm
Total weight	25 kg
Base diameter	654 mm

I-U02234

manual hydraulic foot pedal system





I-U02237

Electric height adjustment and long battery life

Material	Stainless steel
Castors	Apparatus castors Ø 75 mm
Height adjustment	through foot switch
Bottle holder	Stainless steel 3 hooks – 10.0 kg / hook
Regulating range	approx. 1,500 mm – 2,650 mm
Total weight	36.5 kg
Base diameter	550 × 550 mm

I-U02237


back-friendly
height adjustment
through foot switch



protection bumpers



For technical data see provita.de



The colourful infusion stands for the children's care unit

Multi-coloured combinations that brighten up everyday hospital life.




Colourful figures provide distraction (plane, mouse)

Short assembly time, only 2 – 3 minutes (base assembly with only one screw)

Shipping optimized packaging (up to 100 pieces on one pallet)

INFUSION STANDS
For the children's care unit

Material	Aluminium / Plastic
Castors	Twin castors
Height adjustment	Screw system



multi coloured combinations encourage the recovery process

colourful figures create a friendly atmosphere

Made in Germany







CHILDREN-INFUSION STAND »RAINBOW«
In colourful design with figures castors

Material	Aluminium / Plastic
Castors	Twin castors
Base weight	1.6 kg
Height adjustment	Screw system
Bottle holder	Plastic
Regulating range	1,275 – 2,100 mm
Total weight	approx. 3.0 kg
Base diameter	635 mm
Tube diameter	25 / 18 mm





With air plane castors

Red, black, yellow	I-HA4125
Yellow, blue, green	I-HA4130

With mouse castors


Green, black, yellow	I-HA4126



S. children's care unit lamps

For technical data see provita.de





Infusion stand for care at home

Simply remain mobile.

INFUSION STAND
For the private environment


Material	Stainless steel / Chrome-plated steel / Aluminium / Plastic
Castors / bases	Twin castors / non-slip adjustable feet
Height adjustment	Screw system

Short assembly time, only 2 – 3 minutes (base assembly with only one screw)

Only for gravity infusion

Bottle holders according to the standards

Shipping optimized packaging (up to 100 pieces on one pallet)



+ uncomplicated and fast use

+ simple and quick assembly thanks to a plug in system

Made in Germany







I-H71121

Our recommendation for the care at home

Material	Aluminium
Castors	Twin castors Ø 50 mm
Base weight	1.6 kg
Height adjustment	Screw system
Bottle holder	Plastic 4 hooks – 2.0 kg / hook
Regulating range	approx. 1,250 mm – 2,100 mm
Total weight	approx. 3.0 kg
Base diameter	660 mm

Blue

Stainless steel	I-H11121
Aluminium	I-H71121
Chrome-plated steel	I-H41121

Black

Stainless steel	I-H21121
Aluminium	I-H81121
Chrome-plated steel	I-H51121

Grey

Stainless steel	I-H31121
Aluminium	I-H91121
Chrome-plated steel	I-H61121



FOLDABLE INFUSION STAND
Our recommendation while in transit

Material	Aluminium / Plastic
Base	non-slip adjustable bases
Height adjustment	Screw system
Bottle holder	2 hooks – 0.5 kg / hook
Regulating range	approx. 830 mm – 1,780 mm
Total weight	approx. 2.0 kg
Load capacity	1.0 kg
Transport size	750 × 100 × 100 mm
Tube diameter	20 / 15 / 11 mm
Base diameter	680 mm

I-H84132



TABLE INFUSION STAND
For ambulatory use

Material	Stainless steel / Plastic
Height adjustment	Screw system
Bottle holder	Plastic 4 hooks – 2.0 kg / hook
Regulating range	approx. 510 mm – 730 mm
Total weight	approx. 3.0 kg
Base diameter	305 mm
Special feature	with 5 short, weighted base leg sections and rubberised anti-slip bases

I4440002



incl. carrying bag
(Bag size: approx. 750 × 100 × 100 mm)

+ especially suitable for rescue care services as well as travelling patients

For technical data see provita.de

Infuboy

Infusion backpack that creates indepence

For movement and grip freedom during infusion.

INFUBOY
I-WALK01

Material	Stainless steel / Polyester
Height adjustment	Screw system
Hooks	2 pieces, 2.0 kg / hook
Regulating range	700 – 850 mm
Dimensions	approx. 350 × 795 mm
Total weight	1.6 kg



Infuboy
Infusion backpack

for the patient
freedom of movement

fabric part
washable at 60°

lightweight
materials ensure
high wearing comfort



+ **comfortable height adjustment using screw system**
+ **easy to clean**
+ **no risk of injury thanks to automatically retracting hooks**
+ **enables patient to keep both hands free**
+ **plastic frame without toxic ingredients**
+ **completely recyclable**

Made in Germany

The right accessories

To complete and / or modify your infusion stand.



SCREW IN BOTTLE HOLDER

4 hooks M6 with M10 threaded pin

Load capacity	2.0 kg per hook
Weight	approx. 0.15 kg

Stainless steel	Z2N06352
Chrome-plated steel	Z2S06367




INSERT BOTTLE HOLDER

4 hooks, for infusion stands without female thread, for round tube Ø 18 mm

Load capacity	2.0 kg per hook
Material	Plastic
Weight	approx. 0.06 kg

Green	Z2K0645G
Blue	Z2K0645D
Red	Z2K0645H
Grey	Z2K0645N
Black	Z2K0645R



PLUG IN BOTTLE HOLDER

4 hooks for infusion stands without female thread for round tube Ø 18 mm

Load capacity	2.0 kg per hook
Material	Stainless steel
Weight	approx. 0.15 kg

Z2N06392	



REINFORCED BOTTLE HOLDER

4 hooks M8 with M10 threaded pin to screw in a M10 female thread

Load capacity	5.0 kg per hook
Material	Stainless steel
Weight	approx. 0.2 kg

Z2N06102



BOTTLE BAR

M6 hooks, M10 threaded pin to screw in a M10 female thread

Load capacity	2.0 kg per hook
Material	Stainless steel

4 hooks, length 500 mm Z2N06552

6 hooks, length 600 mm Z2N06542





INFUSION BOTTLE HOLDER

2 bottle hooks and 2 bottle baskets for infusion stands with or without female thread for round tube Ø 18 mm

Load capacity	2.0 kg per basket or hook
Weight	approx. 0.4 kg

Holder with Stainless steel middle section, for screwing, Stainless steel (hooks) Z2N65632

Holder with Aluminium middle section, for screwing, chrome-plated (hooks + baskets), Z2S65737

Holder with Plastic middle section, for plugging in, chrome-plated (hooks + baskets), Z2S65837

IMPORTANT:

We would like to expressly point out that not all bottle holder/bar variants/ accessories are suitable for products with a lightweight base construction. For safety reasons, you should take advantage of this opportunity and contact our sales team for advice on 'tilt resistance' and the requirements of DIN EN 60601. Changes to products also jeopardise approval according to DIN EN 60601. We would be pleased to provide you with further information about this.

For technical data see provita.de



PUSHING HANDLE*

For round tube Ø 25 mm, height adjustable through 2 fixing screws

Material	Stainless steel / Aluminium
Colour of fastening clamps	blue
Weight	approx. 0.55 kg

Z2N07982



FOLDABLE PUSHING HANDLE*

For round tube Ø 25 mm

Material	Stainless steel / Aluminium
Colour of fastening clamps	blue
Weight	approx. 0.9 kg

Z2N07952



ECO MOVE PUSHING HANDLE *

For round tube Ø 25 mm

Material	Stainless steel / Aluminium
Colour of fastening clamps	blue
Handle protection	on handle ends

Z-ECO001



PUSHING HANDLE WITH FASTENING KNOB FOR A QUICK RELEASE*

For round tube Ø 25 mm, height adjustable through knob

Material	Plastic
Colour	black
Temperature resistant	up to 60°C

Z2K0698R



PUSHING HANDLE*

For round tube Ø 25 mm, height adjustable through handwheel

Material	Stainless steel
Colour of plastic parts	black
Weight	approx. 0.4 kg

Z2N06982

***Caution:** Pushing handles are not permitted for I-N and I-H series infusion stands.



RECTANGULAR TRAY**

**For round tube Ø 25 mm,
height adjustable through handwheel
with an all around safety edge**

Material	Stainless steel / Aluminium
Size	315 × 275 mm
Weight	approx. 2.75 kg
	Z2N63422



MONITOR TRAY**

**Round tube Ø 25 mm
height adjustable through handwheel
with lateral safety edge**


Material	Steel, white coated / Aluminium
Size	240 × 248 mm
Weight	approx. 2.75 kg
	K2S7043A



CIRCULAR TRAY**

**For round tube Ø 25 mm
with circumferential safety edge**

Material	Stainless steel
Diameter	370 mm
Weight	approx. 2.9 kg
	Z2N64422



TWIN EQUIPMENT RAIL*

For round tube Ø 25 mm

Material	Aluminium / Stainless steel
Weight	approx. 1.3 kg
Optional	for round tube Ø 33.7 mm / Ø 38 mm
Length of rail	558 mm
	Z2N06932



IDENTIFIER SLEEVE

**For round tube Ø 25 mm
to label infusion stands for an
easier station or room allocation**

Material	Polycarbonate
Weight	approx. 0.1 kg
	H2K0625-



COMPACT RAIL (SPLITTED)

For round tube Ø 38 mm

Material	Aluminium
Equipment rail	25 × 10 mm, circumferential
Load capacity	30.0 kg
Size	110 × 110 mm
Weight	approx. 0.9 kg
	Z2N09303

****Caution:** In general not retrofittable. We will be glad to advice you if required.

**For technical data
see provita.de**



PUMP HOLDER FOR 2 DEVICES**

For round tube Ø 25 mm, height adjustable through handwheel, for infusion pumps and other equipment

Material	Stainless steel
Weight	approx. 1.0 kg

Z2N06312




PUMP HOLDER FOR 4 DEVICES**

For round tube Ø 25 mm, height adjustable through two handwheels, for infusion pumps and other equipment

Material	Stainless steel
Weight	approx. 1.2 kg

Z2N06292



EQUIPMENT RAIL

For retrofitting to round tubes Ø 25 / 38 mm, height adjustable through two fixing screws

Material	Stainless steel
Profile	25 × 10 mm
Length	558 mm
Load capacity	approx. 8.0 kg
Weight	approx. 0.9 kg

For round tube Ø 25 mm	H2N70432
For round tube Ø 33.7 mm	H2N70342
For round tube Ø 38 mm	H2N70332



TUBE CLAMP

For fastening accessory to the infusion stand, Ø 25 – 50 mm

Material	Aluminium, coated
Bracket	Ø 18 mm
Weight	approx. 0.13 kg

White	Z2N0502A
Silver	Z2N0502S



WALL MOUNT

To fasten stands directly on the wall with 4 drilled holes

Material	Aluminium, white coated
Bracket	Ø 18 mm / optional for Ø 25 mm
Size	approx. 80 × 70 × 80 mm

With threaded pin	Z2N0617A

****Caution:** In general not retrofittable. We will be glad to advice you this if required.



MEDICAL APPROVED PLUGBOARD “VARI MED”

Protected against unintentional opening

Housing material	Aluminium, anodized
Operating display	green
Fuse	2-pole T6, 3AH
Protective cover	automatic locking, can only be opened with a tool
Cable supply line	3 or 5 m (spiral cable 1 – 3 m), with medical plug
Cable cross section	1.5 mm² / 2.5 mm²
Traceability	by manufacturer date on cable, supply line and connector
Plug-in slots	4 or 6, plug rotaded 90° with sufficient space
Fastening	Universal clamp for equipment rail and round tube
Optional	Antibacterial feed line / plug

For mobile use (cable size 1,5 mm²)

4-plug	Z2K06384
4-plug, dual fused, 3 m cable supply	Z2K07014
4-plug, dual fused, 5 m cable supply	Z2K07015
4-plug, spiral cable	Z2K07024
4-plug, dual fused, spiral cable	Z2K07034
6-plug, 3 m cable supply	Z2K06394
6-plug, dual fused, 5 m cable supply	Z2K07114
6-plug, dual fused, 3 m cable supply	Z2K07124

For mobile use (cable size 1,5 mm²) with connection possibility for grounding

4-plug, dual fused, 1.5 m, 4 × PE-connections, PE-connection lead: 4 mm², 4 m	Z2K07064
4-plug, dual fused, 3 m, 4 × PE-connections, PE-connection lead: 4 mm², 4 m	Z2K07074
4-plug, dual fused, 5 m, 4 × PE-connections, PE-connection lead: 4 mm², 4 m	Z2K07084
4-plug, dual fused, spiral cable 1-3 m, 4 × PE-connections, PE-connection lead: 4 mm², 4 m	Z2K07094

For medical fixed installations (cable size 2,5 mm²)

4-plug	Z2K07044
4-plug, dual fused	Z2K07054

For medical fixed installations (cable size 2,5 mm²) with connection possibility for grounding

4-plug, dual fused, 2.5 mm², 1.5 m, 4 × PE-connections, PE-connection lead: 4 mm², 4 m	Z2K07104





For vertical & horizontal mounting

For technical data see provita.de

Accessories with quick hand fastener

for attachement on round tubes Ø 25 – 33.7 mm (colour of handle: blue-grey)



PUSHING HANDLE*

Material Stainless steel / Aluminium

Weight approx. 0.55 kg

Z-PRE006



DRAINAGE HOLDER 2 HOOKS

Material Stainless steel / Aluminium

Distance between hooks 160 mm

Load capacity 2.0 kg / hook

Weight approx. 0.5 kg

Z-PRE001



BOTTLE HOLDER 2 HOOKS


Material Stainless steel / Aluminium

Total length 460 mm

Load capacity 1.0 kg / hook

Weight approx. 0.7 kg

Z2N6661S



STORAGE BASKET

Material Stainless steel / Aluminium

Size 300 × 200 × 100 mm

Weight approx. 0.5 kg

Z-PRE005



PUMP HOLDER FOR 2 DEVICES

Material Stainless steel / Aluminium

Load capacity 5.0 kg (2.5 kg ea. side)

Weight approx. 0.95 kg

Z-PRE002



EQUIPMENT RAIL

Material Stainless steel / Aluminium

Size 25 × 10 × 500 mm

Load capacity 5.0 kg (2.5 kg ea. side)

Weight approx. 0.7 kg

Z-PRE004



TRAY

Material Stainless steel / Aluminium

Size 310 × 250 mm

Weight approx. 1.6 kg

Z-PRE003

***Caution:** Pushing handles are not permitted for I-N and I-H series infusion stands.

For technical data see provita.de

Find out more

SAM *sit and move*

starting on page 58



Infusion poles

**For a safe adaptation to beds,
operating tables or walls.**



WALL STANDS

Material	Stainless steel / Aluminium
Bottle holder	Stainless steel 4 / 3 hooks – 2.0 kg / hook
Height adjustment	Screw system
Regulating range	approx. 730 – 1,040 mm / approx. 540 – 845 mm
Tube diameter	25 / 18 mm
Inner tube	2 × 90° bent / straight
Projection	200 mm
Wall holders	2 pieces with 2 holes each for M6 countersunk screws (screws are not included)
Total weight	approx. 2.0 kg incl. drip glass and glass holder

Angled	I-WAND01
Straight	I-WAND02



WALL IV HOLDER

Material	Stainless steel / Aluminium
Tube diameter	18 mm, pivotable
Carrier arm length	400 mm
Bottle hooks	adjustable – 2.0 kg / hook
Weight	approx. 0.8 kg

I-WAND03



INFUSION POLE
Without adaption element

Material	Stainless steel / Chrome-plated steel
Bottle holder	Stainless steel 4 hooks – 2.0 kg / hook
Height adjustment	Single-handed system
Regulating range	approx. 1,080 mm – 1,680 mm
Tube diameter	25 / 18 mm
Weight	approx. 2.1 kg / approx. 1.6 kg

Stainless steel	with plastic end cap I1000702
Chrome-plated steel	with plastic end cap I1000707



With adaptation element
For beds:
Ø 27 × L 180 mm

Stainless steel	I1000302
Chrome-plated steel	I1000307



With ball joint
For tilting and laying tables:
with universal clamp to attache on different rail profiles and round tubes, stepless inclinable up to 30° in all directions

Stainless steel with 2 hooks (90°)	I1000232
Stainless steel with 4 hooks	I1000252



INFUSION HOLDER
For bed lifting pole

Material	Plastic
Colour	white
Suitable	for oval tubes 32 mm
Bottle hooks	4 safety hooks – 2.0 kg / hook

Z2K0646A

*Further adapters and OEM stands upon request



INFUSION BOTTLE HOLDER
For bed lifting pole

Material	Stainless steel / Aluminium
Suitability	for oval and round tube profiles
Bottle bar	4 hooks – 2.0 kg / hook
Length of bottle bar	490 mm
Locking	Double clamp with handwheel

Z2N09072

For technical data see provita.de

Hygiene centre



Hygiene wherever is needed

The mobile hygiene station from provita medical provides easy access to hygiene where needed.

Individual design

Stainless steel (1.4301) for best hygienic properties

Can be mounted without tools

Modifiable



Fully equipped
(19 kg total weight)

Blue	S02512PB
Yellow	S025120I
Silver	S025120S



completely
equipped
mobile
hygiene centre

Made in
Germany

Accessories for your hygiene centre



ROLLER BASE WITH POLE

Material	Stainless steel
Carrier tube	L 1,500 mm, Ø 33.7 mm
Base Ø	630 mm
Castors	Mono Ø 80 mm
Blue	S07501PB
Yellow	S075012I
Silver	S075012S



GLOVE BOX HOLDER

3-fold

Material	Aluminium, coated
Size	390 × 260 × 100 mm
Fastening	Quick- release fastener
Weight	approx. 1.5 kg
Blue	Z2N655PB
Yellow	Z2N6552I
Silver	Z2N6552S



GLOVE BOX HOLDER

2-fold

Material	Aluminium, coated
Size	280 × 270 × 100 mm
Fastening	Quick-release fastener
Weight	approx. 1.3 kg
Blue	Z2N658PB
Yellow	Z2N6585I
Silver	Z2N6585S



TRAY

Material	Stainless steel / Aluminium
Size	310 × 250 mm
Blue	Z2N075PB
Yellow	Z2N0754I
Silver	Z2N0754S



LARGE STORAGE BASKET

Material	Stainless steel / Aluminium
Size	460 × 460 × 150 mm
Z2N65842	



SMALL STORAGE BASKET

Material	Stainless steel / Aluminium
Size	300 × 200 × 100 mm
Blue	Z2N659PB
Yellow	Z2N6583I
Silver	Z2N6583S



STORAGE BOX
2 closed individual containers

Material Stainless steel / Aluminium

Size approx. 450 × 220 × 200 mm (single box)

Fastening Universal clamp

Z2N67142



GLOVE BOX HOLDER
3-fold adjustable

Material Stainless steel

Size approx. 400 × 210 (265) × 120 mm (H×W×D)

Fastening Quick-release fastener

Weight 2.3 kg

Blue Z2N656PB

Yellow Z2N6560I

Silver Z2N6560S



DRIP BOWL
2 Litre

Material Stainless steel / Aluminium

Size 300 × 200 × 100 mm

Blue Z2N061PB

Yellow Z2N0616I

Silver Z2N0616S



DISINFECTANT DISPENSER
500 ml, with long lever

Material Aluminium

Blue Z2N657PB

Yellow Z2N6586I

Silver Z2N6586S



DISINFECTANT DISPENSER
500 ml,
with long lever and plastic tray

Material Aluminium

Blue Z2N660PB

Yellow Z2N6588I

Silver Z2N6588S

SAM



Mobility in health and care

The modern transfer chair for many applications – from ambulances to museums.



Stainless steel (1.4301) for best hygienic properties



Space-saving, stackable



Suitable for automated washing systems

SAM
Sit and move

Material	Stainless steel / PU foam
Wheels	puncture-proof and abrasion-resistant PU tires
Braking system	automatic safety braking system

SAM *sit and move*

various
lock and
deposit systems

space saving
and stackable



electropolished
stainless steel

sturdy – load capacity
up to 150 kg

customizable
advertising space

Made in
Germany






SAM
Basic model

Frame material	Stainless steel tubing 18 – 10, Ø 32 × 2 mm electropolished
Material for armrests, backrest and seat	PU foam
Armrest	foldable
Design	space-saving due to stackability
Max. weight load	150.0 kg
Dimensions	approx. 960 × 710 × 990 mm (L × W × H)
Weight	21.0 kg
S-SAM001	

SAM
Ambulance version

Frame material	Stainless steel tubing 18 – 10, Ø 32 × 2 mm, coated in RAL 3020 – traffic red
Material for armrests, backrest and seat	PU foam
Armrest	Foldable
Legrest	PU foam. Comfortable stored on the side. The legrest can be mounted on the right or left while in use. Securing is done through a locking bolt.
Design	space-saving due to stackability
Max. weight load	150.0 kg
Dimensions	approx. 960 × 710 × 990 mm (L × W × H)
Weight	23.0 kg
S-SAM003	



designed to save space



The legrest can be mounted on the right or left side.





SAM
With customizable advertising set

Frame material	Stainless steel tubing 18 – 10, Ø 32 × 2 mm electropolished
Material for armrests, backrest and seat	PU foam
Armrest	Foldable
Design	space-saving due to stackability
Max. weight load	150.0 kg
Dimensions	approx. 960 × 710 × 990 mm (L × W × H)
Weight	21.0 kg
Advertising set consisting of	2 stickers on rear wheel fork and 2 stickers on side advertising plate

S-SAM004





We will be glad to produce the SAM according to your colour requirements. Talk to us.

+49 (0) 21 93 / 51 05 - 0

For technical data see provita.de

Accessories for SAM



LOCK*

Cost-effective & safe

Housing material high-quality, resistant plastic

Lock cylinder material Brass

Surface nickel-plated

Z-SAM014



DEPOSIT SYSTEM*

Card

Housing material high-quality, resistant plastic

Material of key and chain Stainless steel

Z-SAM007



DEPOSIT SYSTEM*

Coin

Housing material high-quality, resistant plastic

Material of key and chain Stainless steel

Coins 50 Ct., 1 € and 2 €

Z-SAM003



SAFETY BELT

Fast and safe

Material Polyester

Z-SAM002



HOLDER

For an oxygen bottle

Material Stainless steel

Z-SAM012



CANE HOLDER

Suitable for various walking aids

Material Stainless steel

Z-SAM013

*not retrofittable



STOWAGE SPACE

Practical and stable

Material of stowage space Stainless steel

Load capacity 15 kg

Max. size of luggage approx. 400 × 500 × 200 mm

Z-SAM011



INFUSION POLE

Especially for the transfer chair

Material Stainless steel

Tube diameter 18 / 14 mm

Bottle holder Stainless steel 2 hooks 90° – 2.0 kg / hook

Height adjustment Single-handed system

Regulating range approx. 920 – 1,100 mm

Z-SAM001



UNIVERSAL BAG

Especially for the transfer chair

Material Nylon fabric with PVC coating

Dimensions approx. 375 × 315 × 65 mm (L × W × D)

Z-SAM008



PARKING STATION

Free standing

Dimensions approx. 844 × 1,817 mm

Plate size approx. 720 × 800 mm

Z-SAM004



PARKING STATION

For wall mounting

Dimensions approx. 777 × 940 mm

Plate size approx. 720 × 800 mm

Z-SAM005

For technical data see provita.de

The right assortment

For a professional and smooth treatment.



OR PRIVACY PROTECTION / SCREENING
To hang surgical drapes

Material	Stainless steel / Aluminium
Tube diameter	25 / 18 mm
Length	approx. 1,500 – 2,800 mm
Fastening	2 Universal fastening clamps
Total weight	approx. 4.0 kg
	Z2N08582



SCREEN CART
With fire resistent screen

Material	Steel coated
Colour	white
Size	approx. 980 × 520 × 1,800 mm
Castors	Twin castors Ø 50 mm
Total weight	approx. 7.0 kg
	S888000A

Surgical drapes are not included in scope of delivery



STORAGE CART
Removable shelves for easy cleaning

Material	Stainless steel
Overall dimension	420 × 420 × 800 mm
Tube diameter	18 mm
Castors	Twin castors Ø 50 mm
Total weight	approx. 11.0 kg

T2170032



BOWL HOLDER
Safe holding of liquids, solutions and cloths

Material	Stainless steel
Bowl holder	with handle (ball handle)
Number of bowls	1 or 2 pieces (each 6 l)
Bowl diameter	320 mm
Height	825 mm
Base diameter	approx. 635 mm
Castors	Twin castors Ø 50 mm
Total weight	approx. 7.8 kg

With 1 bowl	S0111902
With 2 bowls	S0112002





optional: also available with seamless welded base

For technical data see provita.de



ARMREST / LEGREST
Ergonomic support pad

Material	Chrome-plated steel
Pad material	PU- foam
Regulating range	approx. 680 mm – 910 mm
Pad size	300 × 100 mm
Base diameter	635 mm
Castors	Twin castors Ø 50 mm
Total weight	approx. 3.0 kg

Chrome-plated steel

Single-handed system on anti-slide feet	S1112007
Single-handed system with castors	S1112017
Screw system on anti-slide feet	S2102037
Screw system with castors	S2112027



ARMREST/ LEGREST
Rotatable, can be tilted and swivelled

Material	Chrome-plated steel, white-coated
Pad material	PU- foam
Regulating range	approx. 595 mm – 795 mm
Pad size	300 × 100 mm
Base diameter	635 mm
Castors	Twin castors Ø 50 mm
Total weight	approx. 3.0 kg

White coated

Screw system with castors	S211202A

Anti-slip feet





MRI ARM- / LEGREST
Non-magnetic materials

Material	Aluminium
Base material	Plastic, ultramarine blue
Pad material	PU- foam
Regulating range	approx. 825 mm – 1,240 mm
Base diameter	635 mm
Castors	Twin castors Ø 50 mm
Screw system	S2112013



INSTRUMENT TABLE
Plate with safety edging

Material	Stainless steel / Plastic
Colour of plastic parts	blue
Plate size	300 × 200 mm
Pole	1,000 mm
Castors	Twin castors Ø 50 mm
Total weight	approx. 4.0 kg
	I9972302

For technical data see provita.de



DEVICE CART
Weighted base construction

Material	Stainless steel / Aluminium
Centre tube	Ø 38 × 1,000 mm
Plate size	300 × 200 mm
Multi-purpose basket	230 × 230 × 250 mm
Castors	Single castors Ø 80 mm
Total weight	approx. 22.5 kg

I9972202



KICK BUCKET
For consumables during an operation

Material	Stainless steel
Capacity	approx. 12 Litre
Castors	Single castors Ø 80 mm
Size	Ø 330 × 440 mm
Total weight	approx. 3.75 kg

I9972302



OXYGEN BOTTLE STAND
Transport cart for large oxygen bottles

Material	Steel, coated
Colour	white
Application	for 10 litre – O_2 bottles
Securing	with lashing strap
Height	880 mm
Base diameter	635 mm
Castors	Twin castors Ø 50 mm
Total weight	approx. 4.5 kg

S013190A



HOOK CART
Professional screening of surgical towels

Material	Stainless steel
Number of hooks	120
Size	approx. 475 × 1,200 × 1,600 mm
Castors	Apparatus castors Ø 75 mm
Total weight	approx. 27.0 kg

Z2N09102



For technical data see provita.de

OEM solutions

**We develop customer-specific products in cooperation with leading manufacturers of medical technology.
We would be pleased to develop products according to your requirements.**







We can fulfil almost all your wishes.



Adapters for bed infusion poles

Made of Plastic



With adapting elements



Adapter pin





You have further questions?

We will be glad
to help you personally.

Just give us a quick ring:
+49 (0) 21 93 / 51 05 - 0

Or e-mail us:
info@provita.de

For more than 50 years, our family business has been one of the leading manufacturers in medical technology.



personal


experienced

motivated


Our general terms and conditions apply. Errors, misprints and changes reserved.
© Copyright: provita medical gmbh & co. kg, October 2019
Reproduction as well as duplication, also in extracts, are not permitted without permission of provita medical.


provita medical













Version: 2019

Auf der Huhfuhr 8
42929 Wermelskirchen
Germany

Phone +49 (0) 21 93 / 51 05 - 0
Fax +49 (0) 21 93 / 51 05 - 269

info@provita.de
www.provita.de